

DDA 85-0964 30 August 1985

NOTE FOR: Chief, New Building Project Office

SUBJECT: Profile of Mr. Casey

Bot.

- 1. Do not want for dedication. Have it ready for installation when foyer is being finished inside.
- 2. Suggest granite blend into the motif of foyer. Like that of Dulles.
- 3. I can arrange an interview whenever the Sculptor is ready to start chipping.

Harry F. Fitzwater

Attachment

DDA/HEFitzwater:rf (30 Aug 85)

Distribution:

Orig - Addressee

1 - DDA Subject

1 - DDA Chrono

1 - HEF Chrono

STAT

To do a profile of Mr. Casey in marble, the following considerations must be addressed:

TIME: To have it ready for the dedication ceremony is difficult. The artist is willing to try but can't make a promise.

MARBLE: To use the same green marble we have for the plaque will require the acquisition of a large piece and the selection from this large slab a section that is free from large white grains. He suggests we consider a different material such as black granite.

## INTERVIEW WITH:

Mr. Casey: Artist would want to talk to Mr. Casey to get to know him.

To work from photograph alone, the artist feels, will not produce a true representation of the subject.

<u>Dimensions</u>: Artist will need to do some measurements of subject.

Profile will be 1 1/4 times actual size.


Sanitized Copy Approved for Release 2010/10/14 : CIA-RDP88G00186R000800950034-7

STAT

ROUTING AND 1	TRANSMITTAL SLIP	Dete
(Name, office symbol,	room number,	Initials Date
building, Agency/Post		1 20
XOI DAA		7/1/27
Olin.		au 4
Cowa.		<del></del>
DDA Ke	SISTRY	
	J	
Action	File	Note and Return
Approval	For Clearance	Per Conversation
As Requested	For Correction	Prepare Reply
Circulate	For Your Information	See Me
Comment	Investigate	Signature
Coordination ,	Justify	
areazed gave	Ja Logio from he-the load a talen. The	n fops whe on how the henses.
•		BA
OO NOT use this form	as a RECORD of approvals clearances, and similar action	ns
ROM: (Name, org. symi	ool, Agency/Post)	Room No.—Bidg.
CINATO	•	Phone No.
5041-102	OPTIONA Prescribed FPMR (41	NL FORM 41 (Rev. 7-76) by GSA CFR) 101-11.206

Sanitized Copy Approved for Release 2010/10/14: CIA-RDP88G00186R000800950034-7

★ GPO : 1980 0 - 311-156 (17)




## PLEASE NOTE:

THESE ARE CONTACT PRINTS.


THE EXPOSURES ARE NOT PERFECT ON CONTACTS.

THE FINAL PRINT WILL BE CORRECT.


PHOTO CAS.





U E	SERVICE REQUIRED	SIZE	NUMBER OF ORIGINALS		ES REQ'D.		AL NUMBER F COPIES	SPECIAL INSTRUCTIONS
				NEG		N E G		
	PHOTOSTAT			P 0 S		Pos		
	OZALID	-						
	XEROX							









































PLEASE NOTE .


THE EXPOSURES ARE NOT PERFECT ON COMMETS.


THE FINAL PRINT WILL BE CORRECT.


PHOTO LAB.



MICROFILM	1		
OZAPHANE			
PROCESS FILM			
MICRO- TRONICS			
DIEBOLD			
GRAPHICS			
8 X 10	N E G	NEG	
ENLARGING	Pos	POS	
COMPOSITE PRINTS			
	-		







Sanitized Copy Approved for Release 2010/10/14 : CIA-RDP88G00186R000800950034-7

